

7-Port Self-Powered USB-C Hub with Individual On/Off Switches, USB 3.0 5Gbps Expansion Hub w/Power Supply, Desktop/Laptop USB-C to USB-A Hub, USB Type C Hub w/BC 1.2

Produkt-ID: 5G7AIBS-USB-HUB-NA



This 7-Port USB 3.2 Gen 1 (5Gbps) Hub adds seven USB Type-A ports to a computer, with the added benefit of each port having an individual on/off switch. The USB hub is self-powered with an included power adapter. It connects to a USB-A, or USB-C port on a laptop or desktop computer.

The seven ports on the USB Hub feature a power switch to turn off the computers data/power connection to the attached device when it's not being used. This means you can turn off individual USB ports to reduce power consumption, without having to physically disconnect the device or cable. Also, this feature can ensure privacy by turning off cameras or external data storage devices that contain sensitive data, when they're not in use.

The USB hub is self-powered, with an included 65W power adapter. This enables all seven ports on this USB hub to support BC 1.2, providing 1.5A (7.5W) of power simultaneously (52.5W total), making it ideal to charge battery powered USB devices like Smartphones, and Tablets, while also providing a data connection. The USB hub will provide power with or without a host computer connected, with support for both CDP (Charging Downstream Port) & DCP (Dedicated Charging Port) applications.

The 7-port USB 3.2 Gen 1 (5Gbps) Hub expands computer's USB connectivity, adding seven USB-A ports from a single USB-A or USB-C port. The USB hub is backward compatible with older USB 2.0 (480Mbps) devices, ensuring support for a wide range of modern and legacy USB devices such as external storage devices (thumb drives, HDDs/SSDs), HD Cameras, mice, keyboards, webcams, and USB headsets.

USB 3.2 Gen 1 (5Gbps) is also known as USB 3.1 Gen 1 (5Gbps), and USB 3.0 (5Gbps).

The 7-Port USB Hub is OS independent supporting all operating systems including Windows, macOS, Chrome OS, iPad OS and Android, and installs automatically when connected to a computer. To ensure wide compatibility with USB host devices, individual 3.3 ft. (1 m) USB-A, and USB-C host cables are

included.

This product is backed for 2-years by StarTech.com, including free lifetime 24/5 multi-lingual technical assistance.

Zertifikate Berichte und Kompatibilität



Anwendungen

- Connect external storage devices (thumb drives, HDDs/SSDs), HD Cameras, mice, keyboards, webcams, and USB headsets to a computer
- Turn off devices when they're not in use

Merkmale

- 7-PORT ALUMINUM USB HUB: Expand the connectivity of your USB Type-C or USB Type-A laptop or desktop by adding 7x USB-A ports with individual port switches; USB 3.2 Gen 1 (5Gbps); Self powered hub with 65W power adapter/supply included
- INDIVIDUAL PORT SWITCHES: Each USB-A port has its own on/off switch (w/LED) that toggles power/data to the USB device connected to the port; Save energy & ensure privacy by turning off SSD/thumb drives, web cams, headsets, etc. when not in use
- POWER & CHARGE: Each port supports BC 1.2, providing 1.5A (7.5W) of power simultaneously (52.5W total); Provides power with or without a host computer connected with support for CDP & DCP; Ideal for charging phones & tablets; 65W Power Adapter Included
- APPLICATIONS: Includes 3.3ft (1m) USB-C & USB-A host cables to support both USB-A & USB-C host computers; Ideal for peripherals such as external storage devices, thumb drives, HD Cameras & USB 2.0 devices like mice, keyboards, webcams, and USB headsets
- COMPATIBILITY: USB expansion hub is OS independent, supporting Windows, macOS, Linux, iPadOS, Chrome OS, Android; Compatible with Thunderbolt 3/4 & USB 3.2 Gen 1/2.0/1.1/1.0 host computers

Hardware

Garantiebestimmungen	2 Years
USB-C-Geräteanschlüs se	Nein
USB-C-Hostanschluss	Ja
Schnellladeanschlüsse	Ja
Ports	7
Schnittstelle	USB 3.2 Gen 1 (5Gbit/s)
Bustyp	USB 3.2 Gen 1 (5Gbit/s)
	USB 3.2 Gen 1 (5Gbit/s)
Industrienormen	USB 3.2 Gen 1 (5Gbit/s)
Chipset-ID	VIA - VL817

Leistung

Max. Datenübertragungsrate	5 Gbit/s (USB 3.2 Gen 1)
Typ und Rate	USB 3.2 Gen 1 - 5 Gbit/s
UASP-Unterstützung	Ja
MTBF	50.000 Stunden

Steckverbinder

Externe Ports	7 - USB 3.2 Type-A with BC 1.2 (9 pin, Gen 1, 5Gbps, 7.5W Power)
Hostanschlüsse	1 - USB 3.2 Typ-B (9-polig, Gen 1, 5Gbit/s)

Software

Betriebssystemkompati bilität	OS Independent; No additional drivers or software required
----------------------------------	---

Anzeiger

LED-Anzeiger	7 - LED für USB Host Verbindung - blau
--------------	--

Strom

Stromversorgung	Mit Netzadapter
Eingangsspannung	110V-240V AC
Ausgangsspannung	20V DC
Ausgangsstrom	3.25A
Polarität der Mittelspitze	Positiv
Steckertyp	M
Stromverbrauch	65W

Umgebungsbedingungen

Betriebstemperatur	0°C to 40°C (32°F to 104°F)
Lagertemperatur	-10°C to 70°C (14°F to 158°F)
Feuchtigkeit	10 bis 90% relative Luftfeuchtigkeit (nicht kondensierend)

Physische Eigenschaften

Farbe	Schiefergrau
Gehäusetyp	Aluminium
Produktlänge	2.3 in [5.9 cm]
Produktbreite	7.4 in [18.8 cm]
Produkthöhe	0.8 in [2.1 cm]
Produktgewicht	7.3 oz [206.0 g]

Verpackungsinformationen

Paketmenge	1
Paketlänge	6.9 in [17.5 cm]
Paketbreite	8.9 in [22.7 cm]
Pakethöhe	2.8 in [7.1 cm]

**Versandgewicht
(Verpackung)** 1.6 lb [0.7 kg]

Verpackungsinhalt

Im Paket enthalten	1 - USB Hub
	1 - 3.3 ft. [1 m] USB-C to USB-B Host Cable
	1 - 3.3 ft. [1 m] USB-A to USB-B Host Cable
	1 - Power Adapter (North America)

**Garantieinformatio
nen**

Warranty	2 Jahre
-----------------	---------

* Größe, Aussehen und Spezifikationen sind Änderungen ohne vorherige Ankündigung vorbehalten.

