

1 Port CardBus PCMCIA Parallel Laptop Adapter Card

Product ID: CB1PECP



The CB1PECP 1 Port CardBus (PCMCIA) Parallel Laptop Adapter Card turns a 32-bit CardBus slot into an IEEE 1284 Parallel port, allowing you to connect parallel devices to a laptop computer.

The CardBus Parallel card provides a cost-effective way to bridge the compatibility gap between your laptop and legacy devices. A convenient solution for adding a parallel printer or scanner, simply insert the adapter (CB1PECP) into an available CardBus (PCMCIA) slot and connect your parallel device to the adapter's EPP/ECP parallel port.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

- Connects any parallel peripheral including printers, scanners, Zip drives, and other devices

Features

- Compatible with 32-bit CardBus (PCMCIA) slots
- Maximum data transfer rate of 1.5 Mbps
- EPP/ECP Parallel port that fully supports existing Centronics interface

Hardware

Warranty

Lifetime

Ports	1
Interface	Parallel
Bus Type	CardBus (PCMCIA)
Port Style	Integrated on Card
Chipset ID	PLX/Oxford - OXmPCI952

Performance

Maximum Data Transfer Rate	1.5Mbps
----------------------------	---------

Connector(s)

Connector Type(s)	DB-25 (25 pin, D-Sub) PC Card (Type II, Cardbus)
-------------------	---

Software

OS Compatibility	Windows 7 (32/64bit), Vista(32/64), XP(32/64), ME, 98, 95
------------------	---

Special Notes / Requirements

System and Cable Requirements	Pentium class PC or higher with an available CardBus slot.
-------------------------------	--

Physical Characteristics

Product Length	4.7 in [12 cm]
Product Width	2.4 in [60 mm]
Product Height	0.9 in [24 mm]
Weight of Product	4.9 oz [140 g]

Packaging Information

Package Length	8.3 in [21 cm]
Package Width	1.7 in [42 mm]
Package Height	5.6 in [14.2 cm]
Shipping (Package) Weight	5.6 oz [160 g]



**What's in the
Box**

Included in Package	CardBus Parallel Card
	Driver CD
	Instruction Manual

**Product appearance and specifications are subject to change without notice.*

