

RS422 RS485 Serial DB9 to Terminal Block Adapter

Product ID: DB92422



The DB92422 DB 9 to Terminal Block adapter converts an RS-422 or RS-485 DB 9 male serial connector to a terminal block connector.

The 5-pin 3.5mm Terminal Block connector supports screw-type wiring to meet the standard for industrial wiring applications. Backed by Lifetime warranty.

Certifications, Reports and Compatibility



Applications

- Perfect for controlling/diagnosing manufacturing machines(CNC, Process Control Equipment, Bar Code Scanners, Serial Printers)
- Security device control (key panels, cameras, card readers)
- Convert RS422/485 DB9 to a terminal block for extended connections
- Industrial wiring applications
- Ideal in office, warehouse, or other environments where RS-422 and RS-485 are used

Features

- Converts a DB9 male RS422/485 port to a 5 pin terminal block
- Supports four wire RS422, RS485, and two wire RS485 modes
- Meets Screw-type industrial wiring standards
- Supports 3.5mm 5 pin terminal blocks
- Signal Ground over Terminal blocks supported

Connector(s)

Warranty	2 Years
Connector Type(s)	1 - DB-9 (9 pin, D-Sub) 1 - Terminal Block (5 Wire)

Environmental

Operating Temperature	-40C to 85C (-40F to 185F)
Storage Temperature	-40C to 85C (-40F to 185F)
Humidity	0~95% RH

Physical Characteristics

Color	Black
Product Length	1.9 in [48.9 mm]
Product Width	1.3 in [34.2 mm]
Product Height	0.6 in [1.5 cm]
Weight of Product	0.8 oz [23 g]

Packaging Information

Package Quantity	1
Package Length	5.7 in [14.4 cm]
Package Width	4.0 in [10.2 cm]
Package Height	1.4 in [35 mm]
Shipping (Package) Weight	1.9 oz [53 g]

What's in the Box

Included in Package 1 - DB9 female to terminal block

**Product appearance and specifications are subject to change without notice.*