

USB C Multiport Adapter with HDMI, VGA, Gigabit Ethernet & USB 3.0 - USB C to 4K HDMI or 1080p VGA Display Mini Dock Hub - USB Type-C Travel Docking Station for USB-C Laptops

Product ID: DKT30CHVCM



Ideal for mobile workers, this USB-C multiport adapter with HDMI and VGA gives you flexible video output. It's like four adapters in one, with HDMI or VGA connections, a Gigabit Ethernet port and a USB 3.0 port, all through one connection to your laptop's USB-C port. Plus, it features a hideaway cable for better cable management and easier travel

With easy plug-and-play installation on most operating systems, the USB-C adapter doesn't require additional drivers or software. It's the perfect accessory for MacBook Pro, Dell XPS, Chromebook or other USB-C laptops.

The USB Type-C multiport adapter keeps you prepared for business travel. You can extend your laptop's display by connecting to a 4K HDMI (4096x2160 or 3840 x 2160p) or VGA (1920 x 1200p) monitor or projector, to make presentations or set up a workstation.

With multiple ports and an easily accessible hideaway cable, the USB-C all-in-one adapter makes an ideal travel dock, for easy connections on the go. Plus, the USB Type-C adapter is bus powered, so there's no need to carry around a separate power adapter.

Connect a flash drive, mouse or other peripheral to your USB-C or Thunderbolt 3 laptop using the USB 3.0 Type-A port. The USB-C adapter adds wired network connectivity with the GbE port, making it ideal in areas without Wi-Fi.

Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that works with a wide range of IT connectivity accessories. The software suite includes:

Advanced Windows Layout Utility: To setup and save custom windows layouts.

Mac Address Pass-Through Utility: To improve network security.

USB Event Monitoring Utility: To track and log connected USB devices

Wi-Fi Auto Switch Utility: Enabling users to quickly access faster network speeds via wired LAN.



For more information and to download the StarTech.com Connectivity Tools application, please visit: www.StarTech.com/Connectivity-Tools

DKT30CHVCM is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

- · Make presentations in the boardroom or classroom, connecting to an HDMI or VGA monitor
- Ideal laptop accessory for mobile workers
- Convenient travel dock when working out of your hotel room
- Works well in small, shared and temporary workstations

Features

- 4-IN-1 PORTABLE DOCK: USB C Multiport Adapter w/ 4K 30Hz HDMI 1.4 or 1080p VGA single display video output, 5Gbps USB-A port & Gigabit Ethernet for USB-C/Thunderbolt 3 laptops, tablets, or smartphones
- IDEAL FOR TRAVEL: The mini USB C travel dock is compact, lightweight, & portable, features attached hideaway cable providing easy cable management to prevent tangles in laptop bags, pouches or pockets
- WIDE DEVICE COMPATIBILITY: Compatible with USB-C tablets or smartphones, this USB 3.0 (USB 3.1 Gen 1) Type C multiport hub works with HP, Lenovo, Dell, MacBook, Chromebooks and Samsung Galaxy devices
- EASY SETUP & DEPLOYMENT: With automatic driver setup, this mobile USB-C multiport docking station supports all major operating systems; Windows, macOS, Chrome OS, & Android to ensure compatibility
- INDUSTRY-LEADING SUPPORT: StarTech.com offers a 3-year warranty and free lifetime professional technical support on this USB C multiport adapter so you can be confident in this USB Type C travel dock
- CONNECTIVITY TOOLS: Provided with this device, the application improves performance and security, featuring MAC Address Changer, USB Event Monitoring, Windows Layout & Wi-Fi Auto Switch utilities



Hardware

Warranty 3 Years

4K Support Yes

Fast-Charge Port(s) No

Displays Supported 1

Bus Type USB-C

Industry Standards IEEE 802.3, IEEE 802.3u, IEEE 802.3ab

USB 3.0 - Backward compatible with USB 2.0 and 1.1

Chipset ID Genesys Logic - GL3523

Realtek - RTL8153

Eton Technology - EJ899T

Parade Technologies - PS176

ITE -IT6516

Performance

Maximum Data Transfer

Rate

5 Gbps (USB 3.0)

 / >2 Gbps (Ethernet; Full-Duplex)

Maximum Analog Resolutions

1920 x 1200p @ 60Hz (VGA)

Maximum Digital Resolutions

4096 x 2160p @ 24Hz or 3840 x 2160p @ 30Hz (HDMI)

Type and Rate USB 3.0 - 5 Gbit/s

UASP Support Yes

Compatible Networks 10/100/1000 Mbps

Auto MDIX Yes

Full Duplex Support Yes

Connector(s)

Connector Type(s) 1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)





1 - HDMI (19 pin)

1 - VGA (15 pin, High Density D-Sub)

1 - RJ-45

1 - USB Type-A (9 pin, 5 Gbps)

Software

OS Compatibility Windows 7, 8, 8.1, 10, 11

macOS 10.11 to 10.15, 11.0, 12.0, 13.0, 14.0

Chrome OS

Special Notes / Requirements

System and Cable Requirements

Host laptop with an available USB-C port (to ensure full

functionality, the laptop's USB-C port must support DP alt mode).

Note Not all USB-C ports support the full functionality of the USB

Type-C standard. Ensure that your laptop USB-C port supports

DP alt mode.

Only one video output port can be used at the same time (HDMI or VGA). If two displays are connected, the HDMI port takes

or VGA). If two displays are connected, the HDMI port takes

priority.

A 4K-capable display is required to achieve 4K x 2K resolution

(4K is also known as 4K x 2K).

USB 3.0 is also known as USB 3.1 Gen 1; this connectivity

standard offers speeds up to 5Gbps.

Power

Power Source USB-Powered

Output Voltage 5 DC

Environmental

Operating Temperature 0C to 40C (32F to 104F)

Storage Temperature -20C to 70C (-4F to 158F)

Humidity 0~90% RH

Physical Characteristics

Color Black



	Material	Plastic
	Cable Length	3.0 in [75 mm]
	Product Length	4.1 in [10.5 cm]
	Product Width	2.4 in [6.2 cm]
	Product Height	0.6 in [1.6 cm]
	Weight of Product	2.9 oz [82.0 g]
Packaging Information		
	Package Quantity	1
	Package Length	6.7 in [17.0 cm]
	Package Width	5.7 in [14.6 cm]
	Package Height	1.2 in [3.0 cm]
	Shipping (Package) Weight	5.8 oz [164.0 g]
What's in the Box		
	Included in Package	1 - Multiport Adapter
		1 - Instruction Manual

^{*}Product appearance and specifications are subject to change without notice.