

20g Tube CPU Thermal Paste Grease Compound for Heatsinks

Produkt ID: HEATGREASE20



The HEATGREASE20 CPU Thermal Paste Compound can be used to improve the effectiveness of a CPU cooler, by thermally bonding the surface of the CPU to the heatsink, which enables the heatsink and fan to work more efficiently to remove harmful heat from the CPU.

This 20g tube of ceramic-based thermal grease is enough for a large number of CPU installations for most home or business computers or any other light application where good thermal bonding between two surfaces is required.

Please see our support section for the Material Safety Data Sheet for HEATGREASE20.

Certifikat, rapporter och kompatibilitet

Användning

- Replace old or dried out thermal paste to replenish heat dispersion between a CPU and heatsink
- System builders who put together many low-end to mainstream systems

Funktioner

- Ceramic-based compound containing silicone
 - Thermal conductivity of more than 1.066 W/m-K
-

Prestanda

Garantipolicy	2 Years
Värmeledningsförmåga	>1.066 W/(m·K)
Värmemotstånd	<0.195°C-m²/W
Beskära	<0.05% at 200°C/24 hours
Avdunstning	<0.001% at 200°C/24 hours
Densitet	2.3

Miljö

Drifttemperatur	-20°C to 100°C (-4°F to 212°F)
Förvaringstemperatur	-50°C to 150°C (-58°F to 302°F)
Luftfuktighet	10% ~ 80% RH

Utseende

Färg	Vit
Kabinetttyp	Stål
Material	Silicone Compounds 50% , Carbon Compounds 20% , Metal Oxide Compounds 30%
Produktlängd	0.7 in [18 mm]
Produktbredd	2.8 in [72 mm]
Produkt höjd	0.7 in [18 mm]
Produktvikt	0.8 oz [24 g]

Förpackning

Package Length	6.0 in [15.2 cm]
Package Width	3.3 in [84 mm]
Package Height	0.9 in [23 mm]
Fraktvikt (förpackning)	1.3 oz [37 g]

Vad det är i lådan



Ingår i paketet

Tube of Silicone Heat Grease Compound

* Produkters utseende och specifikationer kan komma att ändras utan förvarning.

