

eSATA USB to SATA External HDD Dock for Dual 2.5 or 3.5in Hard Drive

Product ID: SATDOCK2UEGB



This dual drive SATA HDD Dock provides fast, convenient access to 2.5" or 3.5" SATA (SATA, SATA II, SATA III) hard drives (HDD) or solid state drives (SSD) through either USB or eSATA, without ever having to open a computer case or mount hard drives in an enclosure.

Supporting one or two drives (tested with up to 4TB 3.5" and 1TB 2.5" drives per bay), SATDOCK2UEGB can be connected to the host computer through either USB 2.0 or eSATA - then, it's just a matter of inserting the desired 2.5" or 3.5" SATA drives (or combination of both) into one of the two (or both) docking station slots for instant access.

The docking station supports plug and play installation on most operating systems, making it a perfect solution for data recovery, drive imaging, software testing, or any environment that requires fast access to massive amounts of data (uninstalled or archived hard drives etc.). Plus, SATDOCK2UEGB features a small form factor design that requires minimal desk space for permanent connection to the host computer and provides enough hard drive surface exposure to optimize dissipation of operating heat.

SATDOCK2UEGB supports any 2.5" or 3.5" SATA drive, up to 2TB, and data transfer speeds of up to 1.5 Gbps (using eSATA) and 480Mbps (using USB 2.0) between host and dock - ensuring effortless data dumps or backups and hassle-free file transfers. Extend the value of this hard drive docking station, using a SATA to IDE hard drive adapter (SAT2IDEADP), which enables you to use any 2.5 or 3.5in IDE hard drive in a SATA hard drive dock slot.

Certifications, Reports and Compatibility



STARTECH.COM



Applications

- Access spare or removed 2.5/3.5" drives quickly to retrieve data from
- Data recovery specialists who need quick access to drives for imaging
- · Backup data quickly to an external drive for archiving
- Technicians who regularly test or benchmark different hard drives and need to swap between them
- Transfer data from one hard drive to another from the same dock

Features

- Dual top slot loading design with drive doors
- Patented drive ejection mechanism for each drive
- Power button with integrated Power/Activity LED indicator for each drive
- Dual SATA revision 1 compliant eSATA host interfaces, with support for transfer rates up to 1.5 Gbps for each drive
- High Speed USB 2.0 compliant host interface, with support for transfer rates up to 480 Mbps
- Compatible with SATA revision 1/2/3 (1.5/3.0/6.0 Gbps) drives
- Supports 2.5" or 3.5" form factor hard drives (HDD) and solid state drives (SSD)
- Plug-and-Play and Hot-Swap compatible
- Compact desktop style form factor

Hardware		
	Warranty	2 Years
	Fan(s)	No
	Interface	USB 2.0 & eSATA
	Number of Drives	2
	Drive Size	2.5in & 3.5in
	Compatible Drive Types	SATA
Performance		
	UASP Support	No



	Max Drive Capacity	Currently tested with up to 4TB 5400 RPM 3.5" hard drives per bay (8TB total) and 1TB 5400 RPM 2.5" hard drives (2TB total)
Connector(s)		
	Drive Connectors	2 - SATA Data & Power Combo (7+15 pin)
	Host Connectors	2 - eSATA (7 pin, Data)
		1 - USB B (4 pin)
Software		
	OS Compatibility	Windows 2000/ XP(32/64bit)/ Server 2003(32/64bit)/ Vista(32/64bit)/ 7(32/64bit)/ Server 2008 R2, Linux, and MAC OS X and up
Indicators		
	LED Indicators	2 - Power/Activity
Power	Power Source	AC Adapter Included
	Input Voltage	230 AC
	Output Voltage	12V DC
	Output Current	2A
	Center Tip Polarity	Positive
	Plug Type	Μ
Physical Characteristics		
	Color	Black
	Material	Plastic
	Product Length	5.8 in [14.7 cm]
	Product Width	5.2 in [13.2 cm]
	Product Height	2.8 in [7 cm]
	Weight of Product	19.3 oz [547 g]
Packaging Information		
	Package Length	7.3 in [18.5 cm]

STARTECH.COM



	Package Width	4.7 in [12 cm]
	Package Height	8.3 in [21 cm]
	Shipping (Package) Weight	2.9 lb [1.3 kg]
What's in the Box		
	Included in Package	1 - SATA hard drive docking station
		2 - eSATA Cable
		1 - USB Cable
		1 - Power Adapter
		1 - Instruction Manual

*Product appearance and specifications are subject to change without notice.

