

## 4 Port Dual Monitor Dual Link DVI KVM Switch 1440p - Dual Screen/View/Display Compact USB KVM Switch w/Integrated USB 3.0 Hub & Audio - Dell HP Apple Lenovo TAA Compliant

**Product ID:** SV431DL2DU3A

This TAA compliant 4-port dual-monitor Dual-Link DVI USB KVM switch controls up to four PCs, each with two dual-link DVI video outputs. The switch also shares one microphone, one set of speakers, one keyboard and one mouse, across the four connected computers and features an additional built-in 2 port USB hub.

The KVM switch supports four separate multimedia computer systems and the use of a dual-link DVI dual-monitor workstation, increasing productivity by enabling you to access more information at the same time.

The 2-port USB 3.0 hub built into the KVM switch lets you share two additional peripherals (in addition to keyboard and mouse) among attached computers as if they were directly connected. With support for USB 3.0, you can achieve data transfer rates up to 5Gbps ensuring flawless performance from your USB peripherals - great for quickly transferring data to and from external USB 3.0 drives.

With support for separate stereo audio and microphones, the KVM switch box connects everything you need to your systems, saving you money and desk space.

The front-panel push-buttons make it easy to switch between systems and activate the auto scan. The hotkey functionality makes accessing each system quickly, while a buzzer sound confirms the switch.

StarTech.com offers a wide selection of high-quality KVM switches and KVM-related products to help you access your systems more efficiently, without the expense and clutter of extra keyboards, mice, and monitors. This 4-port dual-monitor dual-link DVI USB KVM switch is backed by a 2-year warranty and free lifetime technical support.

### Certifications, Reports and Compatibility



### Applications

- High-res medical imaging
- High-res digital signage server control
- Multimedia design and production

### Features

- **IMPROVE EFFICIENCY:** Dual Monitor Dual Link DVI KVM Switch with hotkey and manual switching, to access 4 workstations or servers with USB and DVI video from a single keyboard, monitor, and mouse
- **WORK SMARTER:** Combines dual DVI displays and a high-speed 2-Port USB 3.0 hub to share USB devices between connected computers seamlessly; OS independent and works with video cards from NVIDIA and AMD
- **TECH SPECS:** 4 Port KVM Dual Screen DVI Dual Link 2048x1536 Analog 2560x1600 or 1440p Digital 2-Port USB 3.0 Hub Hotkey, Push Button OS Independent Audio Dual DVI + USB Console TAA
- **USER-FRIENDLY:** Dual view KVM switch with compact & durable housing features easily accessible large push buttons on the front panel in addition to hotkey support; also provides audio and mic switching
- **THE STARTECH.COM ADVANTAGE:** This KVM is TAA compliant, and StarTech.com offers a 2-year warranty and free lifetime 24/5 multilingual technical support based in North America

<b>Hardware</b>	Warranty	2 Years
	Audio	Yes
	KVM Ports	4
	PC Interface	USB 3.0
	PC Video Type	DVI
	Number of Monitors Supported	2
	Rack-Mountable	No
	Cables Included	No
	Industry Standards	USB 3.0
	Daisy-Chain	No
	<b>Performance</b>	On-Screen Display
DVI Support		Yes - Dual Link
IP Control		No
Hot-Key Selection		Yes
Maximum Analog Resolutions		2048 x 1536 2560 x 1600
Maximum Digital Resolutions		Minimum 640 x 480
Supported Resolutions		Yes
Wide Screen Supported		2-channel stereo
Audio Specifications		3, 8, 15 & 30 seconds
Auto Scan		1
Maximum Number of Users		Push Button and Hotkeys
Port Selection Support		
<b>Connector(s)</b>		Console Interface(s)
	Console Interface(s)	USB Type-A (4 pin; HID Port) USB 1.1
	Console Interface(s)	USB Type-A (9 pin) USB 3.0 (5 Gbps)
	Console Interface(s)	3.5 mm Audio
	Host Connectors	USB Type-B (9 pin) USB 3.0
	Host Connectors	DVI-I (29 pin)

	Host Connectors	3.5 mm Audio
<b>Indicators</b>	LED Indicators	Red (Active)
	LED Indicators	Green (Sync)
<b>Power</b>	Power Source	AC Adapter Included
	Input Voltage	100 - 240 AC
	Input Current	0.8A
	Output Voltage	9V DC
	Output Current	2A
	Center Tip Polarity	Positive
	Plug Type	M
	Power Consumption (In Watts)	18W
<b>Environmental</b>	Operating Temperature	0C to 40C (32F to 104F)
	Storage Temperature	-20C to 60C (-4F to 140F)
	Humidity	90% RH (Non-condensing)
<b>Physical Characteristics</b>	Color	Black
	Material	Steel
	Product Length	10.0 in [2.5 cm]
	Product Width	3.9 in [100.000 mm]
	Product Height	2.6 in [66.000 mm]
	Weight of Product	2.9 lb [1.3 kg]
<b>Packaging Information</b>	Package Length	10.6 in [2.7 cm]
	Package Width	6.3 in [1.6 cm]
	Package Height	7.5 in [1.9 cm]
	Shipping (Package) Weight	10.6 oz [300.000 g]
<b>What's in the Box</b>	Included in Package	KVM switch
	Included in Package	universal power adapter (NA/JP, EU, UK, ANZ)
	Included in Package	quick-start guide

---

***\*Product appearance and specifications are subject to change without notice.***

