

USB auf DVI-D Video Adapter - Externe Multi Monitor Grafikkarte - 1600x1200

Produkt-ID: USB2DVI



The USB2DVI USB DVI Multi Monitor External Video Adapter turns an available USB 2.0 port into an external video card DVI port - providing high quality dual-display or multi-monitor capability that can be used in a variety of laptop or desktop applications to increase your productivity.

The device also offers the option of running up to five additional displays simultaneously (using five USB2DVI Multi Monitor External Video Cards). Each connected adapter can be used to further extend the desktop or mirror the image shown on the existing display - all without having to open the computer case to install an additional video card.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Zertifikate Berichte und Kompatibilität

Anwendungen

- Add a secondary display adapter and extend your desktop display without taking apart your computer to install a new video card
- Add multiple (up to five) monitors / projectors to your computer setup using one USB2DVI device for each additional display
- View large or multiple spreadsheets across multiple displays
- A compact, lightweight solution for traveling business associates using laptop PCs enabling connection to a secondary display

- Connect multiple monitors to a single computer to create engaging multimedia presentations
- Use the adapter to connect your PC to your television for showing family pictures and movies
- Increase productivity by running multiple applications on different screens, check your email on one display and work on a document in the other
- Great for researchers and writers offering the ability to have reference material on one display and a working document copy on the other

Merkmale

- Optimal performance at 1680x1050 and ideal for use with 20" to 22" monitors or smaller
- Acts as an external video card connected through USB 2.0
- No power adapter required
- Quick and easy installation
- Supports the use of DVI to VGA or DVI to HDMI adapters

Hardware

Garantiebestimmung	2 Years
AV-Eingang	USB 2.0
AV-Ausgang	DVI
USB-Passthrough	Nein
Arbeitsspeicher	16MB
Chipset-ID	DisplayLink - DL-165

Leistung

Max. Digitalauflösungen	1600x1200(standard) or 1680x1050(wide) @ 32 bits
Unterstützte Auflösungen	Widescreen (16/32 bit): 1680x1050, 1440x900, 1366x768
	Standard (16/32 bit):



1600x1200, 1280x1024, 1280x960, 1024x768, 800x600, 640x480

Allgemeine Spezifikationen

This USB video adapter uses a DisplayLink family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, please avoid using devices with a Trigger or Fresco family chipset.

Steckverbinder

Steckverbinder A	USB Type-A (4-polig) USB 2.0
Steckverbinder B	DVI-I (29-polig)

Software

Betriebssystemkompatibilität	Windows XP (32 Bit) / Vista (32/64 Bit) / 7 (32/64 Bit) / 8 (32/64 Bit) *, Aero 3D-Schnittstelle wird unterstützt macOS Big Sur (11.0) / Mountain Lion (10.8) / Lion (10.7) / Snow Leopard (10.6) / Leopard (10.5) / Tiger (10.4)
------------------------------	--

Spezielle Hinweise/Anforderungen

System- und Kabelanforderungen	Verfügbarer USB 2.0-Port CPU mit 1,2 GHz oder höher 512 MB RAM 30 MB Festplattenspeicherplatz
Hinweis	Power PC-basierte Macintosh-Computer wie die neuesten iMacs, PowerBooks und PowerMacs Modelle werden derzeit nicht unterstützt This USB video adapter uses a DisplayLink® family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, avoid using devices with different family chipsets, such as Trigger or Fresco Logic® Connect a maximum of five USB video adapters on a single computer. Support for multiple adapters will vary depending upon your system resources This USB video adapter is not intended for graphical intensive applications, such as gaming

Physische Eigenschaften



Farbe	Schwarz
Kabellänge	19.7 in [50 cm]
Produktlänge	3.5 in [90 mm]
Produktbreite	1.9 in [48 mm]
Produkthöhe	0.9 in [23.5 mm]
Produktgewicht	2.6 oz [73 g]

Verpackungsinformationen

Package Length	5.7 in [14.6 cm]
Package Width	1.9 in [47 mm]
Package Height	8.0 in [20.2 cm]
Versandgewicht (Verpackung)	6.4 oz [180.0 g]

Verpackungsinhalt

Im Paket enthalten	USB-auf-DVI-Adapter
	Treiber-CD
	Anleitung

* Größe, Aussehen und Spezifikationen sind Änderungen ohne vorherige Ankündigung vorbehalten.

