

Professional USB to DVI External Dual or Multi Monitor Video Adapter

Produkt ID: USB2DVIPRO



The USB2DVIPRO Professional USB DVI External Dual or Multi Monitor Video Adapter is the perfect solution for turning your workstation into a dual or multi-monitor environment using your USB ports - providing high quality dual display or multi-monitor capability for a variety of laptop or desktop applications.

With improved performance compared to our USB2DVI, this USB DVI-D display adapter is capable of running up to five additional displays from one computer simultaneously (using four USB2DVIPRO External Multi Monitor Video Adapters). The adapter connects to a host computer through a USB 2.0 port, acting as an external DVI-D video card to either extend or mirror the desktop shown on the existing display - without having to open the computer case.

USB2DVIPRO offers support for Microsoft Windows® (including Aero themes) and Mac OS X, and with support for resolutions up to 1920x1200 this device is ideal for larger displays / monitors.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifikat, rapporter och kompatibilitet

Användning

- Can't install a new or additional video card? No problem, the USB2DVIPRO uses USB ports to add DVI connectivity to your PC or Mac
- Add multiple (up to five) monitors / projectors to your computer setup using one USB2DVIPRO device for each additional display

- View large or multiple spreadsheets across multiple displays
- Increase productivity by running multiple applications on different screens; check your email on one display while editing a document on the other
- Use the adapter to connect your PC to your television for showing family pictures and movies
- Connect multiple monitors to a single computer to create engaging multimedia presentations
- Great for researchers and writers offering the ability to have reference material on one display and a working document copy on the other

Funktioner

- Support for Aero themes in Windows®
- Optimal performance at 1920x1200 and ideal for use with 24" to 26" monitors or smaller
- USB Powered - No external power adapter required
- Works with MAC OS X
- Connect up to five adapters to one PC for a true extended desktop experience
- Quick and easy to install

Hårdvara

Garantipolicy	2 Years
AV-ingång	USB 2.0
AV-utgång	DVI
USB-passthrough	Nej
Minne	16MB
Chipset-ID	DisplayLink - DL-195

Prestanda

Maximal digital upplösning	1920x1200 (32-bit color)
Stödda upplösningar	Widescreen (16/32 bit): 1920x1200, 1680x1050, 1440x900, 1366x768



Standard (16/32 bit):

1600x1200, 1280x1024, 1024x768, 800x600, 640x480

Medeltid mellan fel (MTBF) 621,445 Hours

Kontakt(er)

Kontakttyp(er) DVI-I (29-stifts)
USB Type-A (4-stifts) USB 2.0

Mjukvara

OS-kompatibilitet Windows® 2000, XP, Vista, 7, 8/8.1, 10
macOS 10.6 - 10.11, 11.0
Chrome OS v51
Ubuntu 14.04, 16.04, 18.04

Särskilda anmärkningar/krav

System- och kabelkrav System Processor: 1.2GHz
System Memory: 512MB

Obs. Power PC-based Macintosh computers, such as late-model iMacs, PowerBooks and PowerMacs, are not currently supported

This USB video adapter uses a DisplayLink® family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, avoid using devices with different family chipsets, such as Trigger or Fresco Logic®

Connect a maximum of five USB video adapters on a single computer. Support for multiple adapters will vary depending upon your system resources

This USB video adapter is not intended for graphical intensive applications, such as gaming

Indikatorer

LED-indikatorer Blue - Power

Utseende

Färg Svart



Produktlängd	3.5 in [90 mm]
Produktbredd	1.9 in [48 mm]
Produkt höjd	0.9 in [23.5 mm]
Produktvikt	2.6 oz [73 g]

Förpackning

Package Length	6.4 in [16.3 cm]
Package Width	2.5 in [62.5 mm]
Package Height	5.7 in [14.4 cm]
Fraktvikt (förpackning)	8.8 oz [250 g]

Vad det är i lådan

Ingår i paketet	Driver CD
	Instruction Manual
	USB to DVI Adapter

* Produkters utseende och specifikationer kan komma att ändras utan förvarning.

