

USB to HDMI External Dual or Multi Monitor Video Adapter with Audio

Product ID: USB2HDMI



The USB2HDMI USB to HDMI External Video Adapter (Dual or Multi Monitor with Audio) turns an available USB 2.0 port into an HDMI output, with high resolution video support (up to 1920x1080) and audio.

The USB HDMI adapter can be used to mirror your primary desktop, showing the same image on each display, or to extend your desktop to double your workspace and increase your productivity. This external graphics card is a cost-saving multi-monitor or dual display solution, for either laptop or desktop applications, offering the ability to connect an additional HDMI (or DVI) enabled display to your computer setup without the hassle of opening the computer case to install a new video card.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility

Applications

- Add a secondary display adapter and extend your desktop display without taking apart your computer to install a new video card
- View large or multiple spreadsheets across multiple displays
- A compact, lightweight solution for traveling business associates using laptop PCs, enabling connection to a secondary display/projector
- Connect multiple monitors to a single computer, to create engaging multimedia presentations
- Use the adapter to connect your PC to your television for showing family pictures and movies
- Increase productivity by running multiple applications on different screens, check your email on one display and

search the web on the other

- Great for researchers and writers offering the ability to have reference material on one display and a working document copy on the other

Features

- Supports resolutions up to 1920x1080
- Quick and easy installation
- Choose between Mirrored, Extended or Primary display configurations
- Driver software supports display rotation
- Supports the Windows Aero interface
- Supports 2-channel (Stereo) audio
- USB-powered - No external power adapter required

Hardware

Warranty	2 Years
AV Input	USB 2.0
AV Output	HDMI
Audio	Yes
USB Pass-Through	No
Memory	16MB
Chipset ID	DisplayLink - DL-165

Performance

Maximum Digital Resolutions	1920x1080
Supported Resolutions	Widescreen (16/32 bit): 1920x1080, 1680x1050, 1440x900, 1440x480, 1280x800, 1280x720 Standard (16/32 bit): 1600x1200, 1400x1050, 1280x1024, 1280x960, 1152x864, 1024x768, 800x600, 720x480, 640x480



Wide Screen Supported Yes

Connector(s)

Connector A	USB Mini-B (5 pin)
Connector B	HDMI (19 pin)

Software

OS Compatibility	Windows 2000/ XP(32bit)/ Vista(32/64bit)/ 7(32/64bit) / 8(32/64bit) *, Aero 3D interface supported
	macOS Big Sur (11.0) / X Mountain Lion (10.8) / Lion (10.7) / Snow Leopard (10.6) / Leopard (10.5) / Tiger (10.4)
Microsoft WHQL Certified	Yes

Special Notes / Requirements

System and Cable Requirements	System Processor: 1.2GHz System Memory: 512MB
Note	This USB video adapter uses a DisplayLink family chipset. If you're connecting this device to a computer along with additional USB video adapters or docking stations, avoid using devices with different family chipsets, such as Trigger or Fresco Logic
	Connect a maximum of five USB video adapters on a single computer. Support for multiple adapters will vary depending upon your system resources
	This USB video adapter is not intended for graphical intensive applications, such as gaming

Environmental

Operating Temperature	0C to 70C (32F to 158F)
Storage Temperature	0C to 80C (32F to 176F)
Humidity	10~90%

Physical Characteristics

Color	Black
Material	Plastic
Product Length	4.3 in [10.9 cm]
Product Width	2.0 in [52 mm]



Product Height	0.7 in [19 mm]
Weight of Product	10.6 oz [300 g]

Packaging Information

Package Length	9.0 in [22.9 cm]
Package Width	6.0 in [15.3 cm]
Package Height	2.5 in [63 mm]
Shipping (Package) Weight	14.1 oz [400 g]

What's in the Box

Included in Package	USB2HDMI
	USB A to mini B cable
	Installation guide
	Driver CD

****Product appearance and specifications are subject to change without notice.***

