

6 ft SuperSpeed USB 3.0 (5Gbps) Cable A to B - M/M

Productcode: USB3SAB6



StarTech.com's 6ft USB 3.2 Gen 1 cable (A-B, male-male) offers a durable, high quality connection that harnesses the full capability of the USB 3.2 Gen 1 standard.

Designed for next-generation SuperSpeed USB device connections, the 6ft USB 3.2 Gen 1 cable offers a throughput of up to 5Gbps when used with a USB 3.2 Gen 1 host and device - an astounding 10x the capability of USB 2.0 (480Mbps).

Our 6ft USB 3.2 Gen 1 cable features high quality Shielded Twisted Pair (STP) construction, helping to prevent electro-magnetic interference and ensuring reliable data communication.

The 6ft USB 3.2 Gen 1 cable is backed by our Lifetime Warranty, providing guaranteed quality and reliability.

Certificaties, rapporten en compatibiliteit



Toepassingen

- Superspeed 3.0 data transfer with USB 3.0 compliant devices

Eigenschappen

- Cable and Connectors our compliant with USB 3.2 Gen1 SuperSpeed specifications

Hardware	Garantiebeleid	Lifetime
	Type kabelmantel	PVC - Polyvinyl Chloride
	Kabelafscherming	Folie afgeschermd getwist paar
Prestaties	Type en snelheid	USB 3.0 - 5 Gbit/s
Connector(en)	Connector A	1 - USB Type-A (9-polig) USB 3.0 (5 Gbps)
	Connector B	1 - USB 3.2 Type-B (9 pin, Gen 1, 5Gbps)
Gebruiksomgeving	Bedrijfstemperatuur	-10°C to 55°C (14°F to 131°F)
	Opslagtemperatuur	-20°C to 60°C (-4°F to 140°F)
	Vochtigheid	20%-80% RH (non-condensing)
Fysieke eigenschappen	Kleur	Blauw
	Draaddikte	28 AWG
	Kabellengte	6.0 ft [1.8 m]
	Lengte product	6.0 ft [1.8 m]
	Breedte product	0.0 in [0.0 cm]
	Hoogte product	0.0 in [0.0 cm]
	Gewicht product	2.4 oz [68.0 g]
Verpakkingsinformatie	Verpakkingsaantal	1
	Lengte Verpakking	5.6 in [14.2 cm]

Package Width 7.8 in [19.8 cm]

Package Height 0.8 in [2.1 cm]

Verzendgewicht
(verpakt) 2.8 oz [80.0 g]

Wat wordt er
meegeleverd

Meegeleverd 1 - 6 ft SuperSpeed USB 3.0 Cable A to B - M/M

Garantiebepalinge
n

Warranty Levenslang

* Uitvoering en specificaties van het product zijn zonder aankondiging vatbaar voor wijzigingen.